

The background of the image is a blurred, abstract composition of vertical light streaks. The colors transition from a cool blue on the left to a warm orange and yellow on the right, suggesting a sunset or sunrise. The streaks are composed of numerous thin, glowing lines that create a sense of depth and motion.

**Acco Led
2026**




LINEAR LIGHT

- Length: 4ft | 6ft | 8ft
- Diffuser: Prismatic
- Housing Color: Black
- Wattage: 40w – 80w
- Driver: Acco Led / Philips
- Light Color: 2700-6500K
- Hanging Wire: 1.5 Meter Length
- Width: 50mm & Height: 80MM



LINEAR LIGHT (BLADE)

- Length: 4ft | 6ft | 8ft
- Diffuser: Prismatic + Blade
- Housing Color: Black
- Wattage: 40w – 80w
- Driver: Acco Led / Philips
- Light Color: 2700-6500K
- Hanging Wire: 1.5 Meter Length
- Width: 50mm & Height: 80MM



GOLDEN LINEAR LIGHT

- Length: 4ft | 6ft | 8ft
- Diffuser: Prismatic
- Wattage: 40w – 80w
- Driver: Acco Led / Philips
- Light Color: 2700-6500K
- Hanging Wire: 1.5 Meter Length
- Width: 50mm & Height: 80MM

WOODEN LINEAR LIGHT

- Length: 4ft | 6ft | 8ft
- Diffuser: Prismatic
- Wattage: 40w – 80w
- Driver: Acco Led / Philips
- Light Color: 2700-6500K
- Hanging Wire: 1.5 Meter Length
- Width: 50mm & Height: 80MM



ROSE GOLD LINEAR LIGHT

- Length: 4ft | 6ft | 8ft
- Diffuser: Prismatic
- Wattage: 40w – 80w
- Driver: Acco Led / Philips
- Light Color: 2700-6500K
- Hanging Wire: 1.5 Meter Length
- Width: 50mm & Height: 80MM

LINEAR LIGHT (DOUBLE SPOT)

- Length: 4ft | 6ft | 8ft
- Diffuser: Lens
- Wattage: 40w – 80w
- Driver: Acco Led / Philips
- Light Color: 2700-6500K
- Hanging Wire: 1.5 Meter Length
- Width: 50mm & Height: 80MM




RECTANGLE LIGHT

- Length: Customized
- Diffuser: Prismatic
- Housing Color: Black
- Wattage: Customized
- Driver: Philips
- Light Color: 2700-6500K
- Width: 50mm & Height: 80MM




RECTANGLE LIGHT Curved Edge

- Length: Customized
- Diffuser: PMMA
- Housing Powder Coated
- Wattage: 30w (Per Meter)
- Driver: Philips
- Light Color: 2700-6500K
- Width: 60mm & Height: 50MM



PixVe



Wetterers product

SQUARE LIGHT

- Length: Customized
- Diffuser: Prismatic
- Housing Color: Black
- Wattage: Customized
- Driver: Philips
- Light Color: 2700-6500K
- Width: 50mm & Height: 80MM

ZIG ZAG LIGHT

- Length: 1200 MM & Width: 300 MM
- Diffuser: Prismatic
- Housing Color: Black
- Wattage: 40watt
- Driver: Philips
- Light Color: 2700-6500K
- Width: 50mm & Height: 80MM




RING LIGHT

- Dia: 400 - 1200 MM
- Diffuser: PMMA
- Coating: PVD / Powder Coated
- Wattage: 40w - 120w
- Driver: Philips
- Light Color: 2700-6500K
- Width: 60MM & Height: 50MM



MOON LIGHT

- Dia: 400 - 1200 MM
- Diffuser: PMMA
- Housing Color: Black/White
- Wattage: 40w - 120w
- Driver: Philips
- Light Color: 2700-6500K
- Height: 60MM



RECTANGLE FULL DIFFUSER

- Length: 1200 x 300 MM
- Diffuser: PMMA
- Housing Color: Black/White
- Wattage: 40w
- Driver: Philips
- Light Color: 2700-6500K
- Height: 60MM



SQUARE FULL DIFFUSER

- Dia: 600 x 600 MM
- Diffuser: PMMA
- Housing Color: Black/White
- Wattage: 40w
- Driver: Philips
- Light Color: 2700-6500K
- Height: 60MM



“X” LIGHT

- Length: 600 & 900 MM (Each Side)
- Diffuser: Prismatic
- Housing Color: Black
- Wattage: 40w & 80w
- Driver: Philips
- Light Color: 2700-6500K
- Width: 50mm & Height: 80MM



“V” LIGHT

- Length: 600 - 1200 MM (Each side)
- Diffuser: Prismatic
- Housing Color: Black
- Wattage: 40w & 80w
- Driver: Philips
- Light Color: 2700-6500K
- Width: 50mm & Height: 80MM


“Y” LIGHT

- Length: 600 & 900 MM (Each Side)
- Diffuser: Prismatic
- Housing Color: Black/White
- Wattage: 40w & 50w
- Driver: Philips
- Light Color: 2700-6500K
- Width: 50mm & Height: 80MM



TRIANGLE LIGHT

- Length: 600 & 900 MM (Each Side)
- Diffuser: Prismatic
- Housing Color: Black
- Wattage: 40w & 80w
- Driver: Philips
- Light Color: 2700-6500K
- Width: 50mm & Height: 80MM



HEXAGON LIGHT

- Dia: 600 & 900MM
- Diffuser: Prismatic
- Housing Color: Black
- Wattage: 50w & 90w
- Driver: Philips
- Light Color: 2700-6500K
- Width: 50mm & Height: 80MM



HEXAGON LIGHT (DIFFUSER)

- Dia: 600 & 900MM
- Diffuser: Prismatic
- Housing Color: Black
- Wattage: 50w & 90w
- Driver: Philips
- Light Color: 2700-6500K
- Width: 50mm & Height: 80MM



ARC LIGHT

- Dia: 400 - 1200 MM
- Diffuser: PMMA
- Coating: PVD / Powder Coated
- Wattage: 40w - 120w
- Driver: Philips
- Light Color: 2700-6500K
- Width: 60MM & Height: 50MM



BESPOKE LIGHT

- Length: Customized
- Diffuser: PMMA
- Housing Color: Black/White
- Driver: Philips
- Light Color: 2700-6500K
- Height: 60MM



TRIANGLE FULL DIFFUSER

- Dia: 600 MM
- Diffuser: PMMA
- Housing Color: Black/White
- Wattage: 40w
- Driver: Philips
- Light Color: 2700-6500K
- Height: 60MM

AMOEBA LIGHT

- Dia: 600mm
- Diffuser: PMMA
- Housing Color: Powder Coated
- Wattage: 40w
- Driver: Philips
- Light Color: 2700-6500K
- Height: 60MM



CYLINDRICAL LIGHT

- Mounting: Surface | Hanging
- Dia: 80mm & Height: 125mm
- Wattage: 12w – 20w
- Body Color: Black | White
- Beam Angle: 50 Degree
- Led: Bridglux
- Driver: Philips | Fullham



SLIM CYLINDRICAL LIGHT

- Mounting: Hanging
- Dia: 30mm & Height: 300mm
- Wattage: 6w & 12w
- Body Color: Black | White
- Beam Angle: 50 Degree
- Led: Bridglux
- Driver: Philips | Fullham



CYLINDRICAL LIGHT

- Mounting: Surface | Hanging
- Housing: Aluminium
- Body Color: Black | White
- Led: Bridglux
- Driver: Philips | Fullham

Wattage	Diameter	Height
6 Watt	50 MM	110 MM
12 Watt	60 MM	150 MM
18 Watt	80 MM	150 MM
30 Watt	80 MM	180 MM
50 Watt	100 MM	190 MM

SURAFCE SPOT (ROUND)

- Wattage: 6w & 12w
- Dia: 80 & 120mm
- Height: 30mm
- Housing: Aluminum
- Body Color: Black
- Beam Angle: 50 Degree
- Led: Bridglux / Cree
- Driver: Philips



SURAFCE SPOT (SQUARE)

- Wattage: 12w & 24w
- Dia: 120 & 280mm
- Height: 25mm
- Housing: Aluminum
- Body Color: Black
- Beam Angle: 50 Degree
- Led: Bridglux / Cree
- Driver: Philips



TRACK LIGHT

- Led: Bridglux
- Driver: Philips
- Reflector: Darkoo (German)
- Housing: Black / White

Wattage	Diameter	Height
6 Watt	50 MM	130 MM
12 Watt	60 MM	150 MM
18 Watt	60 MM	150 MM
24 Watt	80 MM	180 MM
30 Watt	80 MM	195 MM
40 Watt	80 MM	195 MM



360° Rotatable Surface Light

- Wattage: 6 | 12 | 18 | 30 Watt
- Body Color: Black | White
- Driver: Philips & Fullham
- Led: Bridglux
- Mounting Type: Surface



Led Spot Light (Recessed)

- Wattage: 7watt – 15 watt
- Led: Bridglux / Cree
- Driver: Philips / Fullham
- IP Rating: IP65
- Beam Angle: 50°
- Led Color: 2700 – 6500K

Wattage	Cutout	Height
7 watt	55 MM	85 MM
12 watt	65 & 75 MM	85 MM
15 watt	65 & 75 MM	85 MM



Bottom Open Spot Light

- Wattage: 7w | 12w | 18w
- Led: Bridglux / Cree
- Driver: Philips | Fullham
- Reflector: Darkoo
- Beam Angle: 24^o | 40^o | 60^o
- Led Color: 2700 - 6500K

Wattage	Cutout	Height
7 watt	55 MM	77 MM
12 watt	75 MM	78 MM
18 watt	95 MM	103 MM



Wall Washer Spot Light

- Wattage: 12w & 15w
- Led: Bridglux
- Driver: Philips | Fullham
- Reflector: Darkoo
- Led Color: 2700 – 6500K



Wattage	Cutout	Height
12 watt	75 MM	78 MM



Wall Washer Spot Light (Adjustable)

- Wattage: 12w & 15w
- Led: Bridglux
- Driver: Philips | Fullham
- Cutout: 75mm
- Led Color: 2700 - 6500K



Recessed Wall Washer Spot Light (Pull Out)

- Wattage: 12w & 15w
- Led: Bridglux
- Driver: Philips | Fullham
- Cutout: 75mm
- Led Color: 2700 - 6500K



Single Head Spot

- Wattage: 12 Watt
- Led: Bridglux
- Driver: Philips / Fullham
- Cutout: 103 x 103 MM



Double Head Spot

- Wattage: 12 x 2 Watt
- Led: Bridglux
- Driver: Philips / Fullham
- Cutout: 120 x 220 MM



Triple Head Spot

- Wattage: 12 x 3 Watt
- Led: Bridglux
- Driver: Philips / Fullham
- Cutout: 120 x 313 MM

Lazer Blade Light(Recessed)



Wattage	Cutout	Depth
12 Watt	145mm	45 MM
20 Watt	290mm	45 MM

Movable Spot Light (Recessed)



Wattage	Cutout	Depth
6-8 Watt	64 MM	55 MM
12 Watt	79 MM	55 MM
18-24 Watt	104 MM	79 MM
30 Watt	125 MM	79 MM
40-50 Watt	145 MM	84 MM

Deep Recessed Panel



Wattage	Cut Out	Height	Driver
12 Watt	120 MM	50 MM	Philips
18 Watt	150 MM	50 MM	Philips

Slim Recessed / Surface Panel



Wattage	Cut Out	Height	Driver
12 Watt	150 MM	25 MM	Philips
18 Watt	210 MM	25 MM	Philips




2ft x 2ft Grid/Surface Light

- Wattage: 36watt & 48watt
- Driver: Acco Led
- Led Color: 2700k - 6500k

4ft x 1ft Grid/Hanging Light

- Wattage: 36watt & 48watt
- Driver: Acco Led
- Led Color: 2700k - 6500k



Led Strip Light (IP 33)

- 60 Led | 120 Led | 180 Led | 240 Led
- Length: 5 Meter Roll (12v)
- Led: Seoul | Bridglux
- Driver: Philips (2A & 5A)



Well Glass Light (IP 33)

- Wattage: 40watt & 80watt
- Led: Osram
- Led Color: 5700k & 6500K
- Driver: In-house & Fullham
- Protection: Auto Cut

YOUR 360° LIGHTING PARTNER

We offer modern & traditional lighting solution

Jaspreet Kaur

MOB: 8130540806

E-mail: Info@accoled.in

Website: accoled.in

UNITECH ARCADIA, # 419B
4TH FLOOR, SECTOR 49, SOUTH CITY II
GURGAON - 122018

